

2024|2025 COLLECTION

FLAVIO®

Euro

Bath & Tile

Live Life Better



ABOUT US

The Company was established back in November 2002 as a small local family business in the farm town of Trichardt just 5km out of Secunda in Mpumalanga South Africa.

Euro Bath and Tile (Pty) Ltd initially started trading from a 155sqm store with a 220sqm warehouse, we later expanded into a regional business supplying clients over a 200km radius in and around the Mpumalanga province which incentivised the relocation to a 6040sqm store which currently operates as our head office, Today Euro Bath and Tile (Pty) Ltd is a Multi-National Store two additional branches in Edenvale (2014) and Centurion (2018) serving clients all over the country with notable clients in George, Durban, and Cape Town.

Our clientele reach extends all over sub-Saharan African countries like Botswana, Zimbabwe, Zambia, Mozambique, Angola, Malawi, Swaziland and Lesotho, with some clients as far as The DRC.



Euro Bath and Tile reserves the right to alter and/or remove designs from time to time without prior notice.



CONTENTS PAGE

Toilets	6
Nuflow	7
Q-Flo	7
Valeri II	8
Formosa II	9
paraplegic & Urinals	10
Ceramic Basins	11
Vanity/Wall Hung Basins	12
Coutertop Basins with taphole	13
Coutertop Art Basins	16
Matt Black Coutertop Art Basins	18
Gold Coutertop Art Basins	19
Timber Trends Bathroom Furniture	20
Tall Wall Cabinets	21
Sofia Vanities With slab Basin	22
Oslo Vanities with Quartz Top	23
Bathroom Mirrors	25
Standard Mirrors	26
LED Mirrors	27
Aqua-Tec Showers	29
Semi-Framed	30
Semi-Frameless	32
Shower panels	34
Bath Screen & Spares	35
Baths	36
Acrylic Inset Baths	37
Acrylic Coner Baths	38
Acrylic Freestanding Baths	38
Dado Quartz Baths	39
Jensen Bathroom Accessories	42
Brass Accessories	43
Stainless Steel Accessories	46
Bath Caddies & Baskets	48
Aqua-Flo Shower Heads	49
Aqua-Flo Shower Heads	50
Daniel Shower Heads	51
Daniel Mixers	52
Mini	53
Smart	54
Reflex	55
Omega	56
Dream	57
Infinity	58
Fashion	59
Aqua-Flo Free Standing Bath Mixers	60
Kitchen Mixers	62
Temporized Mixers	65
Electric sensor Mixers	65
Wall Panels	66
Indoor Wall Panels	67
Outdoor Wall Panels	76
Vertex	76
Tiles	77
Wall Tiles	78
Wall Cladding	79
Floor Tiles	80



FLAVIO™



4449 / 4450


NUFLOW WALL HUNG PAN

Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



PORTO


TOILET NUFLOW & CISTERN

Pan & Cistern Specs

- Rimless Pan For Easy Cleaning
- Modern Water Saving Cistern
- 3LT & 6LT Dual Flush Mechanism
- 5 Year Ceramic Guarantee
- 1 Year Flush Mechanism Warranty

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



4303 / 4304


Q-FLO WALL HUNG PAN

Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



1215A-P


TOILET Q-FLO & CISTERN

Pan & Cistern Specs

- Rimless Pan For Easy Cleaning
- Modern Water Saving Cistern
- 3LT & 6LT Dual Flush Mechanism
- 5 Year Ceramic Guarantee
- 1 Year Flush Mechanism Warranty

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty





4695 / 4694


DURALUX WALL HUNG PAN

Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



3093 / 3410 / 4306


BACK-TO-WALL PAN

Pan Specs

- Closed Rim Pan For Better Hygiene
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



3968 / 871


WALL HUNG PAN

Pan Specs

- Closed Rim Pan For Better Hygiene
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



4391 / 4392 / 4393


WALL HUNG PAN BLACK

Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty






865 / 782

BACK-TO-WALL PAN**Pan Specs**

- Closed Rim Pan For Better Hygiene
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty




3691 / 3692

WALL HUNG PAN**Pan Specs**

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



CARE+ RANGE



3463


ATLAS PARAPLEGIC ASSISTED MOBILITY LOW LEVEL WC SET

Toilet Specs

- Material: Vitreous China
- Horizontal outlet
- Easy Reach Side Flush Handle
- Low Level Raised Height Pan
- CE Compliant
- Traditional design
- Water saving Flush Mechanism
- **Seat not included**



Raised Height WCs are more comfortable and convenient to use because the toilet pans are taller in height. The extra 5cm-12cm in raised height means that it is easier and more comfortable to lower your body and sit on it. The extended height is really appreciated by wheelchair users, taller people, as well as by people that are frail, or, people who struggle with lower back pain.




ATLBXURIOT40BE

BS 40 URINAL

Pan Specs

- Rim-Free Pan For Better Hygiene
- Modern Compact Projection
- Material: Vitreous China
- Includes: TOP or BACK Entry Spreader
- Includes: Wall Brackets



TOILET INSTALLATION

Ensure plumbing is in correct position. Assemble all cistern fittings, inlet valve on side of cistern. Fit cistern to pan ensuring rubber sealing ring is in correct position and tighten bolts. NOTE: Do not use putty as sealer. Fit a flexible pan collar to the pan outlet and connect to sewer pipe. Apply thin layer of silicone sealant to floor and wall surfaces, place into position. Flush the water line. Fit the seat. Complete all plumbing connections and do flush test. Ensure correct water level is set & overflow is operating according to local by-laws and SABS specifications.

BACK-TO-WALL INSTALLATION

Prepare water inlet and outlet heights and ensure plumbing is in correct position. Attach brackets to the floor. Place pan into position to ensure that brackets are in correct position. Remove pan and apply thin layer of silicone sealant to floor surface. Place pan back into position and fix screw to the bracket. Flush the water line. Fit double flap seat. Complete all plumbing connections and test flush to ensure all connections are watertight.

WALL HUNG INSTALLATION

Determine pan height, prepare water inlet and outlet heights and adjust threaded rods to height of pan fixing holes. Fit floor bracket into recessed wall and floor, then complete brickwork. Alternatively complete brickwork then fit bolt-through-the-wall bracket. Threaded rods to protrude minimum 90mm from the finished wall surface. Place washers and nuts on the edge of threaded rods. Place pan into position. Locate slotted bushes on to rods, between back of pan and washer and nut. Tighten nuts. Flush the water line. Fit double flap seat. Complete all plumbing connections and test flush to ensure all connections are watertight. NOTE: Do not over tighten.

Always use silicone sealant or equivalent between the pan & the finished floor and wall surfaces for a secure & neat installation. NOTE: Warranty will not apply to any product installed with cement.



F^{tec} WALL HUNG & VANITY BASINS

made in italy 




COMPACT 40

3504011

WALL HUNG | VANITY

400 x 350 x (h) 150mm




SPACE 80

CO01011

WALL HUNG | VANITY

800 x 450 x (h) 140mm




MAGNA 140

MAR05011

WALL HUNG | VANITY

1415 x 550 x (h) 165mm



BASIN INSTALLATION

Basin may be installed by alternative methods:

Option 1: Place basin level against wall surface at correct height and mark fixing hole positions. Remove basin and drill holes. Attach bolts to wall, fit basin and secure.

NOTE: Do not over tighten.

Option 2: Place basin on a vanity surface over pre-cut outlet hole. Fit waste and fasten nut under the vanity surface.

When mounted into a bathroom cabinet or vanity slab, ensure that the surface is level and secured firmly against the wall. Apply a liberal layer of silicone sealant or equivalent between the contact area of the surface and basin self-rimming surface. Place the basin into position and wipe off excess sealant and allow to dry.





FLAVIO® COUNTERTOP BASINS WITH TAPHOLE




QUATTRO

A3607

COUNTER TOP | WALL HUNG

475 x 470 x (h) 165mm




PONTI PLUS

89187

COUNTER TOP

465 x 465 x (h) 145mm




VALARI PLUS

1927

COUNTER TOP

480 x 370 x (h) 130mm




MANHATTAN PLUS

99487

COUNTER TOP

610 x 460 x (h) 110mm




SENSEI

1127

COUNTER TOP | WALL HUNG

605 x 455 x (h) 180mm






VOLTA PLUS

11187

COUNTER TOP


435 x 435 x (h)130mm









Q-FLO
01187
COUNTERTOP
385 x 385mm x (h)




VALERI
H0507
COUNTERTOP
480 x 365 x (h) 150mm




AL FAYIZ WHITE
40187
COUNTERTOP
500 x 400 x (h) 150mm



MIAMI
D211
COUNTERTOP
390 x 390 x (h) 120mm




NEWBURY
A1187
COUNTERTOP
615 x 360 x (h) 115mm







CIRCLET
58387
COUNTERTOP
346 x 346 x (h) 140mm




TRIMMED R2
4901C
COUNTERTOP
415 x 415 x (h) 135mm



PORTLAND BLACK
BM66187
COUNTERTOP
520 x 395 x (h) 130mm



CIRCLET BLACK
90387
COUNTERTOP
346 x 346 x (h) 140mm




INSTALLATION

Place basin on a vanity surface over pre-cut outlet hole. Fit waste and fasten nut under the vanity surface. Using silicone sealant or equivalent between the contact area of the surface and around basin edges for a secure and neat installation. Wipe off excess sealant and allow to dry.






PLATINUM ROUND
8501C
COUNTER TOP
410 x 410 x (h) 145mm



CIRCLET GOLD
5501C
COUNTER TOP
346 x 346 x (h) 140mm



TIMBER *Trends*



TALL CABINET 1200

C041-515Y-60BAZF - FOREST




WALL HUNG CAB - 300 x 250 x (h) 1400 mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant

DESCRIPTION

This is a lovely piece of modern wall-hung Cab: The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the cab. Adding to vivid texture of the natural concrete texture, sleek lines with simplistic pattern all these features make the cab unit a perfect mix of cool modern minimalism and sweet rustic style.



MEDICINE CABINET 600


060-6001MY-60B-F - FOREST

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- Size: 600 x 180 x (h) 650mm
- High durability stain & moisture resistant
- Copper-free and anti-rust mirror
- Two adjustable wooden shelves
- Two soft-closing doors

DESCRIPTION

The woodgrain dark grey bathroom medicine cabinet provides a stylish and practical storage solution for your toiletries and beauty products.



MEDICINE CABINET 750


060-7001MY-60B-F - FOREST

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- Size: 750 x 180 x (h) 650mm
- High durability stain & moisture resistant
- Copper-free and anti-rust mirror
- Two adjustable wooden shelves
- Two soft-closing doors

DESCRIPTION

The woodgrain dark grey bathroom medicine cabinet provides a stylish and practical storage solution for your toiletries and beauty products.






VANITY SOFIA 400

4142 - FOREST

WALL HUNG - 400 x 210 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer.



VANITY SOFIA 600

4143 - FOREST

WALL HUNG - 600 x 455 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.



VANITY SOFIA 750

4144 - FOREST

WALL HUNG - 750 x 455 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.




VANITY SOFIA 900

4146 - FOREST

WALL HUNG - 900 x 455 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.




VANITY OSLO 600

4475 - FOREST

WALL HUNG - 600 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Integrated European soft-closing hardware



DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.


VANITY OSLO 750

4478 - FOREST

WALL HUNG - 750 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Integrated European soft-closing hardware



DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.


VANITY OSLO 900

4480 - FOREST

WALL HUNG - 900 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Integrated European soft-closing hardware



DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.




VANITY OSLO 1200

4150 - FOREST

WALL HUNG - 1200 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- One spacious storage drawers
- Integrated European soft-closing hardware



This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.




VANITY OSLO 1500

4147 - FOREST

WALL HUNG - 1500 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.


- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Two spacious storage drawers
- Integrated European soft-closing hardware



This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.



FLAViO®



RONDO

EM-062

Features

- 700 x 700mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



CLASSIC

EM-522

Features

- 700 x 500mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free




LINEA

EML-452

Features

- 800 x 600mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



CURVY

EM-102

Features

- 800 x 600mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free






ALPHA

EML-5000

Features

- 700 x 700mm
- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free





BRAVO

EML-4000

Features

- 700 x 700mm
- Touch ON/OFF button
- De-Fogger
- LED Display Clock
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror



CHARLIE SWIRL

EML-3000

Limited stock available

Features

- 800 x 800 x (h)50mm
- Touch ON/OFF button
- De-Fogger
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free




DELTA ARCH

EML-2000

Features

- 900 x 900mm
- Touch ON/OFF button
- De-Fogger
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free





GOFFER

EML-080

Features

- 700 x 700mm
- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free







DURA LUX

EML-2351

Features

- 700 x 700mm
- Touch ON/OFF button
- De-Fogger
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free




FOX

EML-008-990

Features

- 800 x 600mm
- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



FOX

EML-0021-990 - 1200 x 600mm


EML-0041-990 - 1400 x 700mm

Features

- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free

aqua-tec

by FLAVIO®





PREMIUM 90

ET4101S


Dimensions

- B: 875mm (Extendable to 900mm)
- Glass Height: 1900 mm
- Glass Thickness: 8 mm

Side Panel

- A: 875mm (Extendable to 900mm)
- Glass Thickness: 5 mm

- Includes door and side panel
- Semi framed design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



ADJUSTABLE PIVOT

ET1A031S


Dimensions

- A: 730mm (Extendable to 860mm)
- B: 830mm (Extendable to 850mm)
- Glass Height: 1850 mm
- Door Glass Thickness: 6 mm
- Side Panel Glass Thickness: 4 mm

Variants

- A: 870mm - (Extendable to 890mm)
- B: 970mm - (Extendable to 990mm)

- Includes door and side panel
- Semi framed design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.




QUADRANT

ET0301S

Dimensions

- A: 865mm (Extendable to 890mm)
- B: 550mm (Shower Opening)
- Glass Height: 1850 mm
- Door Glass Thickness: 6 mm

- Semi framed design
- Easy glide doors provide easy access
- Magnetic gel seals provide a watertight door
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment of sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



BI-SLIDER DOOR 1200

ET0501S


Dimensions

- A: 1160mm (Extendable to 1210mm)
- B: 865mm - (Extendable to 890mm)
- Glass Height: 1850 mm
- Glass Thickness: 6 mm

Variants

- B2: 965mm - (Extendable to 1000mm)
- Side Panel Glass Thickness: 5 mm + 6mm

- Easy glide doors provide easy access
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- can be fitted to wall or with side panel



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



CORNER ENTRY

ET0101S


Dimensions

- A: 865mm (Extendable to 890mm)
- B: 503mm (Shower Opening)
- Glass Height: 1850 mm
- Glass Thickness: 6 mm

Variants

- Chrome - ET0101S
- Matt Black - ET0101S-900MMB

- Semi framed design
- Easy glide doors provide easy access
- Magnetic gel seals provide a watertight door
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



INWARD SLIDING 90

BP60L2-R


Dimensions

- A: 880mm (Extendable to 900mm)
- B: 880mm (Extendable to 900mm)
- Glass Height: 1850 mm
- Glass Thickness: 8 mm

Variants

- Right: BP60L2-R
- Left: BP60L2-L

- includes door and panel
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- Declining hinge to off excellent seal below the door



Limited stock available



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



FRAMELESS CUBICAL


ETA1082S

Dimensions

- A: 865mm (Extendable to 890mm)
- B: 865mm (Extendable to 890mm)
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

Variants

- A: 965mm - (Extendable to 990mm)
- B: 965mm - (Extendable to 990mm)
- includes door and panel
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- Declining hinge to off excellent seal below the door



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



90 CUBICAL BLACK


A066

Dimensions

- A: 890mm (Extendable to 900mm)
- B: 890mm (Extendable to 900mm)
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

Variants

-
-
- includes door and panel
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- Declining hinge to off excellent seal below the door



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



FRAMELESS SLIDING


B054

Dimensions

- A: 1250 mm
- B: 950 mm
- Glass Height: 1900 mm
- Glass Thickness: 8 mm

Variants

- Chrome - B054
- Matt Black - B054MB
- Old Brass - B054-OB
- Easy glide doors provide easy access
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- can be fitted to wall or with side panel



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



FRAMELESS SLIDING

B054-MB


Dimensions

- A: 1250 mm
- B: 950 mm
- Glass Height: 1900 mm
- Glass Thickness: 8 mm

Variants

- Chrome - B054
- Matt Black - B054MB

- Easy glide doors provide easy access
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- can be fitted to wall or with side panel



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



DIAMOND CUBICAL

A33


Limited stock available

Dimensions

- A: 480mm (Extendable to 500mm)
- B: 670mm
- C: 480mm (Extendable to 500mm)
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

Variants

-
-
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



FRAMELESS GRID PANEL


F05P1

Dimensions

- A: 1200 mm
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

Variants

- A: 1400 mm
- Glass Thickness: 8 mm
- Semi frameless design
- Wall channel with 40mm adjustment
- 1200mm adjustable stabilizer arm
- All glazing and sealing gaskets made of PVC material
- Anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



FRAMELESS PANEL


SH2004

Dimensions

- A: 1200 mm
- Glass Height: 2000 mm
- Glass Thickness: 6 mm

Variants


- A: 1400 mm | Glass Thickness: 8mm
- A: 1600 mm | Glass Thickness: 10mm
- Semi frameless design
- Wall channel with 40mm adjustment
- 1200mm adjustable stabilizer arm
- All glazing and sealing gaskets made of PVC material
- Anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



WALK-IN PREMIUM


P6082S

Dimensions

- A: 985mm (Extendable to 1010mm)
- B: 300mm (with swing Mechanism)
- C: 965mm (Extendable to 990mm)
- Glass Height: 2000 mm
- Glass Thickness: 6 mm

Variants

- A: 1185mm (Extendable to 1210mm)
- Semi frameless design
- Wall channel with 40mm adjustment
- 1200mm adjustable stabilizer arm
- All glazing and sealing gaskets made of PVC material
- Anti-fungus agents preventing mildew and grime build up



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



CUSTOM FRAMELESS

SPECIAL ORDER

Frameless showers greatly enhance your bathroom, allowing the tiles to remain focal while giving the shower a clean presence. The uninterrupted view creates an illusion of space, making small spaces feel exceptionally comfortable. We customise to suite your needs, big or small, we have done them all. Also suitable for steam rooms, wine cellars, swimming pool balustrade, step & balcony balustrade. Available in coloured glass, frosted or partially frosted.




BATH SCREEN

ET7082S

Dimensions

- A: 850 mm
- Glass Height: 1400 mm
- Glass Thickness: 6 mm
- Includes polished stainless steel towel rail



INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone.

Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



FRAMELESS SEALS 6-8mm

- 102 - Bubble seals 2500mm
- 103 - Inline seals 2500mm
- 104 - 90° seals 2500mm
- 105 - Brip seals 1000mm



RECOMMENDED EXTRAS



Clear mould resistant silicone to seal shower frames





Filter trap for shower tray with male-end 40 - 50mm suitable for 40-50 pvc adaptor




AQUATEC SPARES

- SP0001 - Twin wheel
- SP0002 - Single wheel
- SP0003 - Glass fixer
- SP0004 - Axis seat pin
- SP0005 - Vertical seal
- SP0006 - Magnet strip
- SP0006 - Bottom seal
- SP0008 - Wheel stopper
- SP0009 - Channel for shower
- SP0010 - CE top frame
- 01136 - Premium side
- SH3002 - Fixed panel corner
- SP3003 - Door corner entry
- SH3004 - Fixed panel quadrant





FLAViO®




NUFLOW BATHTUB

SRBT084

- SPECIFICATIONS**
- Size: 1700x800x490mm
- Water capacity: 220L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

FLAVIO®




Q-FLO BATHTUB

SRB060

- SPECIFICATIONS**
- Size: 1700x700x460mm
- Water capacity: 180L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

FLAVIO®




VALERI BATHTUB

SRB087

- SPECIFICATIONS**
- Size: 1800x800x440mm
- Water capacity: 190L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

FLAVIO®




SUPERO BATHTUB

55413011

- SPECIFICATIONS**
- Size: 1700x750x435mm
- Water capacity: 210L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

GEBERIT






ANGARA BATHTUB

SRB028

- **SPECIFICATIONS**
- Size: 1300x1450x400mm
- Water capacity: 230L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Corner Bath
- Angle: Equal
- Warranty: 10 Years

FLAVIO®




TANAKA BATHTUB

SRBT034

- **SPECIFICATIONS**
- Size: 1700x800x540mm
- Water capacity: 200L
- Overflow: No overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Freestanding (Skirted)
- Wall: Double Wall
- Warranty: 10 Years

FLAVIO®




VALERI BATHTUB

SRB086

- **SPECIFICATIONS**
- Size: 1700x750x600mm
- Water capacity: 200L
- Overflow: No overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Freestanding
- Wall: Double Wall
- Warranty: 10 Years


FLAVIO®



FORMOSA BATHTUB

- **SPECIFICATIONS**
- Size: 1700x800x590mm
- Water capacity: 200L
- Overflow: No overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Freestanding
- Wall: Double Wall
- Warranty: 10 Years

FLAVIO®



sirene®
unwind in style



Lifetime Warranty

*The world's most luxurious
bathtub material since 1998*







DOMINUS BATHTUB

SBM104NOFGW

- **SPECIFICATIONS**
- Size: 1500x720x475mm
- Waste to floor: 146mm
- Water capacity: 195L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 10mm
- Waste diameter: 50mm
- Warranty: Lifetime

Lifetime Warranty
The world's most luxurious
bathtub material since 1995




SOVEREIGN BATHTUB

SMB141NOFGW

- **SPECIFICATIONS**
- Size: 1550x720x475mm
- Waste to floor: 130mm
- Water capacity: 218L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 10mm
- Waste diameter: 50mm
- Warranty: Lifetime

Lifetime Warranty
The world's most luxurious
bathtub material since 1998





AMSTERDAM BATHTUB SBM060-1700NOFGW

- **SPECIFICATIONS**
- Size: 1665x750x475mm
- Waste to floor: 125mm
- Water capacity: 250L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 25mm
- Waste diameter: 50mm
- Warranty: Lifetime

Lifetime Warranty
The world's most luxurious
bathtub material since 1998



VIVIAN BATHTUB SRB028

- **SPECIFICATIONS**
- Size: 1595x730x475mm
- Waste to floor: 25mm
- Water capacity: 260L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 12mm
- Waste diameter: 50mm
- Warranty: Lifetime


Lifetime Warranty
The world's most luxurious
bathtub material since 1998



JENSEN

Nordica

10 YEAR GUARANTEE





Double Robe Hook
Brass Chrome Plated

5805B



Tumbler Holder
Brass Chrome Plated

5806



Paper Holder
Brass Chrome Plated

5809



Towel Ring
Brass Chrome Plated

5810



Soap Holder
Brass Chrome Plated

5808



Soap Basket
Brass Chrome Plated

5814



Toilet Brush Holder
Brass Chrome Plated

5812



Soap Dispenser
Brass Chrome Plated

5811



Single Towel Rail
Brass Chrome Plated

5801



Double Towel Rail
Brass Chrome Plated

5802



Towel Rack
Brass Chrome Plated

5804



Glass Shelf
Brass Chrome Plated

5813



Double Robe Hook
Brass | Chrome Plated

5505



Tumbler Holder
Chrome Plated

5506



Paper Holder
Brass | Chrome Plated

5509



Towel Ring
Brass | Chrome Plated

5510



Soap Holder
Chrome Plated

5508



Soap Basket
Brass Chrome Plated

5514



Toilet Brush Holder
Brass Chrome Plated

5512




Soap Dispenser
Chrome Plated

5511



Single Towel Rail
Brass | Chrome Plated

5501



Double Towel Rail
Brass Chrome Plated

5502



Towel Rack
Chrome Plated

5504



Glass Shelf
Chrome Plated

5513



Double Robe Hook
Brass Chrome Plated

1905-B



Tumbler Holder
Brass Chrome Plated

1906



Paper Holder
Brass Chrome Plated

1909-1



Towel Ring
Brass Chrome Plated

1910



Soap Holder
Brass Chrome Plated

1908



Soap Basket
Brass Chrome Plated

1914



Toilet Brush Holder
Brass Chrome Plated

1912



Soap Dispenser
Brass Chrome Plated

1911



Single Towel Rail
Brass Chrome Plated

1901



Double Towel Rail
Brass Chrome Plated

1902



Towel Rack
Brass Chrome Plated

1904



Glass Shelf
Brass Chrome Plated

1913



The ONE Collection from Jensen Nordica is a carefully constructed product, made from grade 304 Stainless Steel. Available in a round /cylindrical finish (Circa) or in a square finish (Cube) The steel is polished to give a chrome like finish. No plating means no possibility of any flaking! Best of all, the stainless steel means you never have to worry about rust!



Double Robe Hook
Polished Stainless Steel

30253B



Tumbler Holder
Polished Stainless Steel

Limited stock available

30258



Paper Holder
Polished Stainless Steel

30251



Towel Ring
Polished Stainless Steel

30260



Soap Holder
Polished Stainless Steel

30269



Soap Basket
Polished Stainless Steel

30259



Toilet Brush Holder
Polished Stainless Steel

30294



Double Towel Rail
Polished Stainless Steel

30248



Single Towel Rail
Polished Stainless Steel

30224



Towel Rack
Polished Stainless Steel

Limited stock available

30200



Double Robe Hook
Brass Chrome Plated

30753B



Tumbler Holder
Brass Chrome Plated

Limited stock available

30758



Paper Holder
Brass Chrome Plated

30751



Towel Ring
Brass Chrome Plated

30760



Soap Holder
Brass Chrome Plated

Limited stock available

30769



Soap Dispenser
Brass Chrome Plated

30796



Toilet Brush Holder
Brass Chrome Plated

30794



Double Towel Rail
Brass Chrome Plated

30748



Single Towel Rail
Brass Chrome Plated

30724



Glass Shelf
Brass Chrome Plated

Limited stock available

30791



Towel Rack
Brass Chrome Plated

30700



Rectangular Caddy
Polished Stainless Steel

3638



Corner Caddy
Polished Stainless Steel

3637




Rectangular Caddy
Matt Black Stainless Steel

3638MB



Corner Caddy
Matt Black Stainless Steel

3637MB



Rectangular Caddy
Old Brass Stainless Steel

3638OB



Corner Caddy
Old Brass Stainless Steel

3637OB



Shower Shelf
Polished Stainless Steel

3640CH



Shower Shelf
Matt Black Stainless Steel

3640MB

aqua-flo

by FLAVIO®






Ultra slim polished stainless steel shower head Ø20 cm.

C2008-SLF



Ultra slim polished stainless steel shower head 20x20 cm

C1008-SLF



Chrome plated Brass shower head, Ø25 cm, with silicon selfcleaning antilimestone jets.

478-SLF



Matt Black plated Brass shower head, Ø25 cm, with silicon selfcleaning antilimestone jets.

478-SLFMB



Chrome plated Brass shower head, 25x25 cm, with silicon selfcleaning antilimestone jets.

1018-SLF



Matt Black plated Brass shower head, 25x25 cm, with silicon selfcleaning antilimestone jets.

1018-SLFMB



Round 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Chrome plated brass.

C108-SLF



Squared 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Chrome plated brass.

F1-108-SLF



Round 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Matt black plated brass.

C108-SLFMB



Squared 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Matt black plated brass.

F1-108-SLFMB



Cp Showerhead anti-limestone 2 functions with ball-joint.

A560



Showerhead completely in c.p. brass, with 144 jets in soft silicon, selfcleaning and anti-limestone, 20x20 cm

A590



Showerhead in chrome, 4 functions anti-limestone jet, with ball joint.

A575



Cartridge Ø25 mm for Serie Oxy

A845



Ceramic cartridge Ø40 mm (type with distributor)

A810



Ceramic cartridge Ø40 mm (flat bottom type)

A815



Cartridge Ø35 mm type "joystick" (flat bottom type)

A835



Head valve 90° ceramic disk, broach Ø8 mm, right

A852 DX



Head valve 90° ceramic disks with long rod Revival.

A853 DX



Head valve 90° ceramic disk, broach Ø8 mm, left

A850 DX



Ø25 mm Ceramic cartridge (opened type).

A846



Ceramic cartridge Ø35 mm (type with distributor)

A820



Ceramic cartridge Ø35 mm (flat bottom type)

A825



Ceramic cartridge Ø35 mm for mixer (flat bottom type).

A821



Head valve broach 8x20

A851



Automatic brass diverter with spring & lock for low pressure.

A870 DE



Head valve 90° ceramic disk, broach Ø8 mm, right

A850 SX

DANIEL

RUBINETTERIE

MILANO

 MADE IN ITALY





Single-lever basin mixer
Height: 11.5cm
Interaxis: 10cm

M16606



Built-in shower mixer
with built-in components

M16602



Exposed Bath mixer
with shower kit, flexible
120cm.

M16610



The SMART collection is a line of young faucets that complete the bathroom and kitchen furnishings with notes of simplicity and elegance. The flat and parallel surfaces of lever and mouth express a modern design, while the opening on the handle lightens and characterizes the whole series. In its simplicity, SMART can satisfy all bathroom compositions thanks to the different solutions of both built-in and countertop basin mixers, as well as multi-way mixers for bath and shower. Also the SMART proposal dedicated to kitchen stands out for its completeness, a wide range of options which is able to meet every need of price, functionality and aesthetics. Some kitchen mixers of the SMART line are also available in the version with integrated Touch-Me technology. Design by Cristian Mapelli



Single-lever basin mixer

Height: 15cm

Interaxis: 10.7cm

SR606



Built-in shower mixer
with built-in components

SR602



Single-lever Tall basin mixer

Height: 30cm

Interaxis: 18.2cm

SR607B



Built-in shower mixer-diverter
with built-in components

SR612



Exposed Bath mixer
with shower kit, flexible
120cm.

SR610



Single-lever sink mixer 90°
with high movable spout
Height: 33cm - Interaxis: 17cm

SR618



Reflex is a faucet collection of modern and original single-lever mixers. The faceted surfaces reflect the surrounding light like precious stones and make Reflex a valuable detail in any style of furniture. The series is equipped with a Ø 35 mm ceramic disc cartridge.



Single-lever basin mixer
Height: 12cm
Interaxis: 11cm

RX606CR



Built-in shower mixer
with built-in components

RX602CR



Single-lever high basin mixer
Height: 17cm
Interaxis: 13cm

RX607CR



Built-in shower mixer-diverter
with built-in components

RX612CR



Wall Mounted Bath mixer
with integrated diverter,
flexible hose cm 150 & 4
functions handshower with
button to change jets.

RX610CR



Built-in spout
Height: 10cm
Interaxis: 18.5cm

RX4704CR



Single-lever sink mixer 90°
with high movable spout
Height: 32cm - Interaxis: 21.5cm

RX618UCR



Single-lever sink mixer
with high swivel spout and
2-functions pull-out hand shower.
with high movable spout
Height: 38cm - Interaxis: 20cm

RX684DJCR



The soft and round lines of OMEGA collection alternate with flat and reflective surfaces, drawing a clear parallel between spout and mixer lever and defining the essential aesthetics profiles. A series with attention to every detail, such as the aerator protection shield in bidet mixer, able to satisfy the style demands even in low budget projects. Design by Cristian Mapelli



Single-lever basin mixer
Height: 12cm
Interaxis: 11cm

OM606



Built-in shower mixer
with built-in components

OM602



Single-lever high basin mixer
Height: 17cm
Interaxis: 13cm

OM607B



Built-in shower mixer-diverter
with built-in components

OM612



Single-lever Tall basin mixer
Height: 30cm
Interaxis: 18cm

OM607X



Exposed Bath mixer
with shower kit, flexible
120cm.

OM610



Built-in bidet mixer
with trigger spray shower,
& built-in components

OM645



Available Finishes



DREAM is the ideal combination of curved lines and stiff facets. The presence of frontal faceted surfaces like diamonds characterizes the design of all elements. The result is a perfect aesthetic harmony, enhanced by multiple ambient light reflections differentiating the series from any other product on the market. Design By Cristian Mapelli



Single-lever basin mixer
Height: 12cm
Interaxis: 11 cm

DR606



Built-in shower mixer
with built-in components

DR602



Tall Single-lever basin mixer
Height: 30cm
Interaxis: 18cm

DR607B



Built-in shower mixer-diverter
with built-in components

DR612



Exposed Bath mixer
with shower kit, flexible
120cm.

DR610



INFINITY is the ideal combination of curved lines and stiff facets. The presence of frontal faceted surfaces like diamonds characterizes the design of all elements. The result is a perfect aesthetic harmony, enhanced by multiple ambient light reflections differentiating the series from any other product on the market. Design By Cristian Mapelli



Single-lever basin mixer
Height: 16.7cm
Interaxis: 12cm

IR606



Built-in shower mixer
with built-in components

IR602



Single-lever Tall basin mixer
Height: 29.8cm
Interaxis: 18.5cm

IR607



Built-in shower mixer-diverter
with built-in components

IR612



Exposed Bath mixer
with shower kit, flexible
120cm.

IR610



Single-lever bidet mixer
Height: 14.2cm
Interaxis: 11.4cm

IR604



Single-lever basin mixer
Height: 12cm
Interaxis: 11 cm

AU2R606



Built-in shower mixer
with built-in components

AU2R602



Single-lever high L basin mixer
Height: 32.2cm Interaxis: 18.5cm

AU2R607B



Built-in bath/ shower mixer-
diverter
with built-in components

AU2R612



Wall Mounted Bath mixer
Single-lever built-in shower
mixer with shower kit.

AU2R610



Single-lever sink mixer
with click clack waste, short "U"
movable spout, luxury type
Height: 32cm - Interaxis: 21.5cm

AU2R605R





OMEGA

KB2-34020-FD - (MATT BLACK)
2-34020-FD - (CHROME)

The Omega freestanding Mixer is an elegant addition to your freestanding bathtub, while complementing the look of your bathroom. Easily connect to your water source below the finished floor. Make your bath the best part of your day.

- Solid brass construction
- Finishes: Chrome / Matt Black Platted
- Ceramic disc cartridge
- Swivel spout
- Sleek single function wand
- Flow rate: Max 16 GPM (tub spout)
- Flow rate: 2.5 GPM (hand shower)
- Handshower Functions: Spray
- Ceramic disc cartridge



DREAM

63020-FD - (CHROME)

With an elegant and modern style, The Dream Freestanding Bath mixer features a stunning design with an L-shaped spout and hand shower. The smooth design and sleek curves make this a perfect fit for any modern freestanding bathtub.

- Solid brass construction
- Finishes: Chrome Platted
- Ceramic disc cartridge
- Swivel spout
- Sleek single function wand
- Flow rate: Max 1.8 GPM (tub spout)
- Flow rate: 2.5 GPM (hand shower)
- Handshower Functions: Spray
- Ceramic disc cartridge



INFINITY

10120-FD - (CHROME)

Indulge yourself in the beauty of polished chrome for a refreshed look in your bathroom space. This beautiful freestanding faucet from Flavio can be used on any freestanding tub. Directly mounted to the floor, this faucet will complement any modern or contemporary looking bathroom for an overall elegant look.

- Solid brass construction
- Finishes: Chrome Platted
- Ceramic disc cartridge
- Swivel spout
- Sleek single function wand
- Flow rate: Max 1.6 GPM (tub spout)
- Flow rate: 2.5 GPM (hand shower)
- Handshower Functions: Spray
- Ceramic disc cartridge







Wall-mounted sink set
with swivel upper tube spout.
Lengt spout: 17 cm.

F7005CR



Single-lever sink mixer,
with swivel spout, for low pressure.
Height: 18,5 cm - Interaxis 22 cm

M16608



Single-lever wall mounted
sink mixer
with frontal lever & movable spout.
Height: 26 cm - Interaxis 19 cm

M16633



Single lever wall mounted
sink mixer
with frontal lever & movable spout.
Height: 28cm - Interaxis: 17 cm

SR633B



Single-lever sink mixer 45°
with high movable spout.
Height: 27 cm - Interaxis: 18 cm.

SR614TCR



Sink mixer with flexible hose
coated in softtouch matte
black rubber pipe.
Height: 49 cm - Interaxis: 21 cm

SR241



Single-lever sink mixer with high
movable spout.
with Ø35mm ceramic disc cartridge
Height: 41,6cm - Interaxis: 21,5cm

PR21619CR



Single-lever sink mixer 90°
with high movable spout
Height: 33cm - Interaxis: 17cm

SR618



Flavio Estilo Pull-out sink mixer

AF8888-5C



Flavio Estilo Pull-out sink mixer-
Matt Black

AF8888-5MB



Flavio Estilo sink mixer -
Matt Black

AF1013 5MB



Flavio Estilo sink mixer Pull-out -
Matt Black

AF6846 5MB



Flavio Estilo "U" Spout sink
mixer

AF1573-5C



Flavio Estilo "U" Spout sink
mixer - Matt Black

AF1573-5MB



Flavio Estilo sink mixer Pull-out -
Matt Black/Gold

AF3100-5



The sensor taps series of Daniel are distinguished by their elegance and performance. The elegance of the lines is guaranteed by the accurate design at the base of any development. The engineering and manufacturing are performed entirely in Italy by engineers and technicians of Daniel Group, through machinery of the latest generation, fully automated and robotized.



Temporized tap 1/2 all in Cp brass opening time 6-8 sec.
*Height: 9,5 cm
interaxis: 10,5 cm.*

TEM40015



Temporized frontal mounted 1/2 tap all in Cp brass,
Opening time 6-8 seconds.

TEM40225



Built-in shut-off bidet mixer set with shut-off, shower holder and water punch

OM642



Temporized urinal button flusher 1/2 all in Cp brass,
Opening time 6-8 seconds.

TEM40855



Electronic tap, with sensor control, equipped with two angle valves with filter.
*Height: 17cm - Interaxis: 13cm
Powered by lithium batteries*

SEN30017RR



Electronic tap, with sensor control, equipped with two angle valves with filter. *Height: 30cm - Interaxis: 13cm
Powered by lithium batteries*

SEN30017L



Amazon



3
AMAZON-3
122x2900mm



2
AMAZON-2
122x2900mm



4
AMAZON-4
122x2900mm



6
AMAZON-6
122x2900mm




7
AMAZON-7
122x2900mm



9
AMAZON-9
122x2900mm



8
AMAZON-8
122x2900mm



Borneo



2
BORNEO-2
122x2900mm



3
BORNEO-3
122x2900mm

Congo



1
CONGO-1
122x2900mm



2
CONGO-2
122x2900mm



Daintree



2

DAINTREE-2
200x2900mm



3

DAINTREE-3
200x2900mm



4

DAINTREE-4
200x2900mm



5

DAINTREE-5
200x2900mm



Belair



2

BELAIR-2

120x2900mm

Guinea



1

GUINEA-1

122x2900mm



2

GUINEA-2

122x2900mm





Kinabalu



1

KINABALU-2

120x2900mm



2

KINABALU-3

120x2900mm



4

KINABALU-4

120x2900mm

Alpine



1

ALPINE-1

120x2900mm

Knysna



1
KNYSNA-1
313x2900mm



2
KNYSNA-2
313x2900mm

Komi




3
KOMI-3
315x2900mm






Tsitsikama



1

TSITSIKAMA-1
304x2900mm



2

TSITSIKAMA-2
304x2900mm

Mau



1

MAU-1
130x2900mm

Valdivia



1

VALDIVIA-1
148x2900mm



3

VALDIVIA-3
148x2900mm

Sumatra



1

SUMATRA-1
120x2900mm





Vista



1

VISTA-1

300x2900mm




2

VISTA-2

300x2900mm

Tiaga



1

TIAGA-1

315x2900mm


Vertex



1
Vertex
Ancient Wood



2
Vertex
Rosewood



3
Vertex
Silver Grey



4
Vertex
Teak




Product Specifications:

Composition	Percentage of Content
PVC Composite	60%
Recycled PE	30%
Additives: Colourants Anti-oxidants Anti-Ultraviolet Agent Lubricants etc.	10%

• • • • •

Product Dimensions:



Dimensions	205 x 26 mm
Standard Length	2.9 m
Mass /m	2.86 kg
Mass /length	8.29 kg
Planks /m ²	1.68
Coverage /m ²	4.88



1 **Vertex**
Ancient Wood




2 **Vertex**
Rosewood



3 **Vertex**
Silver Grey

Optional Extras:

Outdoor Edging Strip



4 **Vertex**
Teak





FRANKFURT
30x60cm

Plain




WOODGREY
30x60cm

Plain



CARDIFF ASH LEAF
30x60cm

Plain



SKYROS BEIGE
30x60cm

Plain



DAVOS BIANCO
30x60cm

Plain




FRANKFURT
30x60cm

Decor




WOODGREY
30x60cm

Decor



CARDIFF ASH LEAF
30x60cm

Decor



SKYROS BEIGE
30x60cm

Decor



DAVOS GREY
30x60cm

Decor



VENOS LEAF A
30x60cm

Decor



VENOS LEAF B
30x60cm

Decor



CLOUD CHARCOAL
60x60cm

Plain




GLOSSY FINGERS WHITE
30x60cm

Decor



RAMBLA GRAFITO
30x60cm

Matt



EC. CHEROKEE PERLA
17x52cm

Decor



MATT ELDER TAUPE
60x120cm

Matt



MATT RAINFALL GREY
60x120cm

Normal



MATT RAINFALL GREY
60x120cm

Anti-slip



RAPULANO MIX CAFFE
80x160cm

Matt

FOR ALL OF YOUR TILING NEEDS





Euro Bath & Tile

Mpumalanga: 43 Paul Kruger Street | Trichardt | 017 638 1949 | Germiston: Shop No.1A | Meadwodge Mall | 011 4531084/5523 | Centurion: Shop No. 3 | Centurion Lifestyle Centre | 012 681 4023

more info @ www.eurobath.co.za